

Sabroe SMC 108 - L

Specifications

| Brand | Sabroe |
|--------------------------|---------------------|
| Туре | SMC 108 - L |
| Refrigerant | NH 3 (ammonia) |
| kW at -10ºC/+40ºC | 349,0 (-10ºC/+30ºC) |
| Unloaded Start | ✓ |
| Capacity Control | ✓ |
| On steel base frame | ✓ |
| Pressure safety switches | 1 |
| Hp/Lp/Op | |
| Pressure gauges | ✓ |
| Hp/Lp/Op | |
| Oil separator | 1 |
| Sight Glass | 1 |
| Solenoid Valve | ✓ |
| Sizes | 2200x1000x1700 mm |
| | (LxWxH) |
| Stock | 1 |
| | |



Description

Used Sabroe SMC 108 - L

Used Sabroe SMC 108 - L reciprocating compressor on NH3 (Ammonia). Complete with a Leroy Somer P 280 S-4 electric motor - 50 Hz - 110 kW - 1460 RPM, oil separator with a volume of 65 liters, pressure and safety switches/gauges and a sight glass. *Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can also perform a new paint job and arrange the logistics.





























EG. No.175667 票 8.1987 NH 3 INH. 0.065 - M3 BAR 150 °C • Olie afscheider 3