

Carrier 30 XA 352


Specifications

Brand	Carrier
Type	30 XA 352
Product type	Air Cooled Chiller
Capacity kW	320
Capacity Tons	90,9
Refrigerant	Freon
Refrigerant Type	R134A
Weight in kg.	3920
Sizes	3600x2240x2400 mm (LxWxH)
Remarks	y.o.b. 2007



Description

Used Carrier 30 XA 352



NUMERO DE SERVICE
SERVICE NUMBER
DIENSTNUMMER

30XA0352-6-----E

1 - (FR) NUMERO DE SERIE
(EN) SERIAL NUMBER
(DE) SERIENNUMMER

12U710788

2 - MODELE - MODEL
MODELLNUMMER

30XA0352--0034-PEE--

3 - VARIANTE VARIANT
VARIANTE

30XA

4 - ANNEE DE FABRICATION ET DATE D'ESSAI
YEAR OF MANUFACTURING AND TEST DATE
HERSTELLUNGSJAHR UND DATUM

18/07/2007

5 - FLUIDE - REFRIGERANT
KÄLTERMITTEL

R 134 a

6 - GROUPE - GROUP
GRUPPE

2

7 - CHARGE CIRCUIT A/B/C
REFRIG. CHARGE A/B/C
KREISLAUF A/B/C

37.0 Kg / 39.0 Kg / *

8 - FLUIDE D'INERTAGE
INERTING REFRIG.
NEUTRALISIERUNG-REFRIG.

23 --AZOTE--NITROGEN--

21 - HAUTE PRESSION
HIGH PRESSURE
HOCHDRUCKSEITE

22 - BASSE PRESSION
LOW PRESSURE
NIEDERDRUCKSEITE

10 - PRESSION ADMISSIBLE KIN MAX
ALLOWABLE PRESSURE KIN MAX
ZULASSIGE KIN MAX - DRUCKE

(PS) -0.9 / 21.0 bar -0.9 / 20.0 bar

11 - TEMPERATURE ADMISSIBLE KIN MAX
ALLOWABLE TEMPERATURE KIN MAX
ZULASSIGE KIN MAX - TEMPERATUREN

(TS) -20.0 / 72.0 °C -20.0 / 70.0 °C

12 - PRESSION DE DECLENCHEMENT DES PRESSOSTATS
PRESSURE SWITCH SETTING
DRUCKSCHALTER-SOLLDRUCK

21.0 bar * bar

13 - PRESSION DE DECLENCHEMENT DES SOUPAPES
SAFETY RELIEF VALVE SETTING
SICHERHEITSENTL.-HÖLDRUCK

23.0 bar 21.0 bar

14 - PRESSION D'ESSAI D'ETANCHEITE DE L'UNITE
UNIT LEAK TEST PRESSURE
LECKTEST-DRUCK DES GERÄTS

15.0 bar

15 - TENSION
VOLTAGE
SPANNUNG

400 V 10% 10%

16 - PHASES
PHASES
PHASEN

3

17 - FREQUENCE
FREQUENCY
FREQUENZ

~ 50 Hz

18 - I MAXIMALE
MAXIMUM AMP
MAXIMAL STROM

243.0 / * A

19 - PUISSANCE ABSORBEE MAX
MAX POWER INPUT
LEISTUNGSAUFNAHME

147.0 / * kW

20 - POIDS NET
NET WEIGHT
NETZGEWICHT

3852 Kg

21 - PRESSION DE DECLENCHEMENT DES DISQUES DE RUPTURE
RUPTURE DISK SETTING
STÖßSTELLDRUCK DER HERTSCHESSEN

* bar * bar

Carrier

MANUFACTURED IN FRANCE BY
CARRIER SCS - 01120 MONTLUEL - FRANCE
A SUBSIDIARY OF CARRIER CORPORATION
SYRACUSE NEW YORK UNITED STATES OF AMERICA