

Stal S71E - 42A

Specifications

Brand	Stal
Туре	S71E - 42A
Refrigerant	NH 3 (ammonia)
kW at -10°C/+40°C	1170
kW at -20ºC/+40ºC	800
kW at -30°C/+40°C	500
kW at -40°C/+40°C	300
Electromotor Specs	315
On steel base frame	✓
Pressure safety switches	/
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Control panel	✓
Remarks	Compressor Stal
	S71E-42A //
	Electromotor: 315 kW at
	2965 RPM
Sizes	4050x1900x2150 mm
	(LxWxH)



Description

Used Stal S71E - 42A

Used Stal SVA 71E-42A ammonia compressor unit. Complete with 1 Stal S71E - 42A screw compressor, Leroy-Somer P 315 MG2 - B3 electromotor: 50 Hz - 315 kW - 2965 RPM, pressure safety switches, pressure gauges, oil separator and control panel. This unit has a cooling capacity of 1170 kW at -10°C/+40°C.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. *If requested we are happy to arrange your logistics.

























