

DWM D22DD-100X-AWM/D

Specifications

| | |
|--------------------------|----------------------------------|
| Brand | DWM |
| Type | D22DD-100X-AWM/D |
| Refrigerant | Freon |
| kW at 0°C/+40°C | 31,2 |
| kW at -5°C/+40°C | 26,7 |
| kW at -10°C/+40°C | 20,4 |
| kW at -20°C/+40°C | 10,4 |
| kW at -30°C/+40°C | 5,2 |
| On steel base frame | ✓ |
| Pressure safety switches | ✓ |
| Hp/Lp/Op | |
| Pressure gauges | ✓ |
| Hp/Lp/Op | |
| Liquid receiver | ✓ |
| Liquid receiver ltr. | 52 |
| Oil separator | ✓ |
| Liquid line filter drier | ✓ |
| Sight Glass | ✓ |
| Remarks | R404a - R22 or other freon types |
| Package / Rack | ✓ |
| Sizes | 2000x900x1400 mm (LxWxH) |



Description

Used DWM D22DD-100X-AWM/D

Used DWM D22DD-100X-AWM/D freon compressor rack, complete with pressure safety switches, pressure gauges, oil separator, liquid line filter drier, sight glass and liquid receiver with a volume of 52 liters.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.



