

# Goedhart LK 700 m2

## Specifications

Brand	Goedhart
Type	LK 700 m2
kW	96,1
Refrigerant	NH 3 (ammonia)
Number of Fans	4
Fin Space in mm	8
Defrosting	Hot Gas
m <sup>3</sup> /h	72.000
Sizes	5300x1130x1400
Volume	250 dm <sup>3</sup>
Weight	3.350







## Description


### Used Goedhart LK 700 m2

Used and in good condition Goedhart LK 700 m2 ammonia evaporator. 4 Woods fans 50 Hz - 2,5 kW - 1450 RPM - diameter 760 mm. Hot gas defrosting in the coil and diptray. Incomplete with discharge hood.

\*All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.







TYPE	PLK
BLOKKODE	20x8-5000/60x60
LAMELAFSTAND(EN)	8mm
OPPERVLAK (m <sup>2</sup> )	700
CAPACITEIT (kW)	96.100
KOELMIDDEL	NH <sub>3</sub> POMPSYSTEEM
To (°C)	-7.5
LUCHTDEVEELH. (m <sup>3</sup> /h)	72.000
LUCHT-TEMP. IN/UIT (°C)	-1/-4
LUCHTWEERST BLOK (Pa)	
VENTILATOREN	4 X WOODS 30J - 2/3 - 15° - 1450 RPM 3 X 380 V - 50 Hz - 2.5 kW
ONTDOODING BLOK	HEETGAS
ONTDOODING LEKBAK	HEETGAS
PIJPVOLUME (dm <sup>3</sup> )	±250
MASSA LEEG (kg)	±3350
UITVOERING	5 x ALS GETEKEND 5 x IN SPIEGELBEELD

\*\*\*GEGALVANISEERDE STALEN SENDZIMIR OMKASTING - NIET GESPOTEN\*\*\*  
LEKBAK + VENTILATOREN WORDEN LOS MEEGELEVERD