

Bitzer HSN 7471-75-40P (x2) & HSN 6451-40 (x1)

Specifications

Marca	Bitzer
Tipo	HSN 7471-75-40P (x2) & HSN 6451-40 (x1)
Refrigerante	Freon
kW at -20°C/+40°C	313,1
kW at -30°C/+40°C	215,6
kW at -40°C/+40°C	141,2
kW at -45°C/+40°C	111,0
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Recipiente de líquido	✓
Recipiente de líquido ltr.	500
Separador de aceite	✓
Mirilla	✓
Panel de control	✓
m3 / h	390
Comentarios	Please note: we will only offer this as complete blastfreezing solution with capacity matching condensor and evaporators.
Package / Rack	✓



	(LxWxH)
Standaard	3650x1650x2500 mm

Description

Used Bitzer HSN 7471-75-40P (x2) & HSN 6451-40 (x1)

Used Bitzer HSN 7471-75-40P (x2) & HSN 6451-40 (x1) semi-hermetic screw compressor rack. Complete with Apparatebau Hopfgarten KH 500 NL S liquid receiver with a volume of 500 liter, Bitzer OA 9011 oil separator, B.E.S.T PSHE-3HH-84-2-2 Q plate, GEA WTT WP 7L-40 brazed heat exchanger, pressure and safety switches/gauges, control cabinet with Danfoss controllers. The compressors have a total displacement of 640 m³/h at 50 Hz & 768 m³/h at 60 Hz.

Please note: we will only offer this as complete blastfreezing solution with capacity matching condensor and evaporators.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *If requested we are happy to arrange your logistics.











