

Bitzer 4VES-7Y-40P Condensing unit

Specifications

Marca	Bitzer
Tipo	4VES-7Y-40P Condensing unit
Refrigerante	Freon
kW at 0°C/+40°C	28,2
kW at -5°C/+40°C	22,8
kW at -10°C/+40°C	18,2
kW at -20°C/+40°C	11,0
kW at -30°C/+40°C	5,9
Sober Bancada	✓
Presostatos	✓
Recipiente de líquido	✓
Recipiente de líquido ltr.	24,5
La línea de líquido filtro secador	✓
m3 / h	34,7
Comentarios	Y.o.b. 2014
Peso kg.	396 kg.
Condensing Unit	✓
Tamaños	2510x710x700 mm (LxWxH)
Stock	1



Description

Used Bitzer 4VES-7Y-40P Condensing unit


Used Bitzer 4VES-7Y-40P condensing unit. Complete with a Bitzer 4VES-7Y-40P Semi-hermetic Reciprocating compressor. Liquid receiver with a volume of 24,5 Liters and a liquid line filter drier and 4 fans. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment soley if it has passed our extensive quality test and after it has been cleaned industrially. *If requested we are happy to arrange your shipment.



FRIGOTRONIC Refrigeration systems

Type	HSC-CU-B 4VE V=22 Z= 35 R407F		
Id. no.	15565	Voltage	230/400-50-3
Int. Project no.	90 x 24428	Power consum.	5,25 kW
Ext. Project no.	10 x 24428	PS H/L	27,5/16 barg
Prod. Date	wk 45-2014	TS H/L	+140/30 °C
Refrigerant	R407F	Nett Weight	396 kg

COFELY
Cofely Refrigeration BV PO box 7026 NL - 5980 AA Panningen





Bitzer Typ 4VES-7Y-40P
S.Nr. 1686905547


BITZER KÜHLMASCHINENBAU GMBH
Made in E.C.

Nennspannung V 3Ph~	Frequ. Hz	Betr.strom A (max)	Anlaufstrom A (Y)	A (YY)	Fördervol. m³/h	Drehzahl min ⁻¹
380-420	50	16,6	39,0	68,0	34,7	1450
440-480	60	16,6	39,0	68,0	41,9	1750

IP 65 NDHD max. 19 / 32 bar

3762205 





		LEGNAGO VERONA-Italy I-37045 S.p.A. www.frigomec.com			
Type	RV-280X498				
Manufacture- Nr.	3098240				
Manufacture year	2013				
Fluids Group	2	/	Escluded	/	
Category	II	/	Volume V:L	24.5	
Temperature TS-°C	-10	120	-50	120	
Max. permissible press. PS-bar	33		24		
Test pressure PT-bar	47.19				

