

Bitzer 4NCS-12.2Y-40P

Specifications

Marca	Bitzer
Tipo	4NCS-12.2Y-40P
Refrigerante	Freon
Refrigerant type	R134A
kW at 0°C/+40°C	27,7
kW at -5°C/+40°C	22,3
kW at -10°C/+40°C	17,7
kW at -20°C/+40°C	10,4
kW at -30°C/+40°C	5,3
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Recipiente de Líquido	✓
Recipiente de Líquido ltr.	25
Separador de aceite	✓
La línea de líquido filtro	✓
secador	
Mirilla	✓
Panel de control	✓
m3 / h	56,25
Comentarios	y.o.b. 2012
Tamaños	850x720x1050 mm (LxWxH)
Stock	1






Description

Used Bitzer 4NCS-12.2Y-40P

Used and well maintained Bitzer 4NCS-12.2Y reciprocating compressor complete with oil separator 7,5 ltr, liquid receiver 25 ltr with liquid line filter and pressure safety switches and gauges. The control panel seen on the pictures controls two Bitzer 4NCS-12.2Y-40P units.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment soley if it has passed our extensive quality test and after it has been cleaned industrially. *If requested we are happy to arrange your shipment.





KLIMAL <i>Hersteller</i>		LEGNAGO VERONA-Italy		CE 0036
D-82178 Puchheim		S.p.A. I-37045 www.frigomec.com		
Type	FKV 25.21+SV+K(M1-3/8"/R5)			
Fabrikations- Nr.	2190076			
Herstellungsjahr	2012			
Fluid Gruppe	2	/	Ausgenommen	/
Kategorie	II	/	Volumen V:L	25
Temperatur TS-°C	-10	120	-40	120
Max. zulässiger Druck PS-bar	28		21	
Prüfdruck PT-bar	40.04			