

# Bitzer 4N.2 Condensing unit

## Specifications

Marca	Bitzer
Tipo	4N.2 Condensing unit
Refrigerante	Freon
kW at 0°C/+40°C	47,9
kW at -5°C/+40°C	39,9
kW at -10°C/+40°C	32,9
kW at -20°C/+40°C	21,7
kW at -30°C/+40°C	13,4
kW at -40°C/+40°C	7,5
kW at -45°C/+40°C	5,2
Sober Bancada	✓
Presostatos	✓
Recipiente de Líquido	✓
Recipiente de Líquido ltr.	55
m3 / h	56,1
Condensing Unit	✓
Tamaños	1940x750x1870 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 4N.2 Condensing unit

Used Bitzer 4N.2 Freon condensing unit. Complete with 1 Bitzer 4N.2 open-type reciprocating compressor, AEG AM 160 E04 electromotor: 50 Hz - 15 kW - 1460 RPM, condenser with 6 fans, Stahlbau Hopfgarten ZHP 55 liquid receiver with a volume of 55 liter, liquid line filter drier and pressure and safety switches.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also perform a new paint job and arrange the logistics.





