

Bitzer HSK 5363-40-40P (x4)

Specifications

| | |
|----------------------------|--|
| Marca | Bitzer |
| Tipo | HSK 5363-40-40P (x4) |
| Refrigerante | Freon |
| kW at 0°C/+40°C | 386,7 |
| kW at -5°C/+40°C | 318,9 |
| kW at -10°C/+40°C | 260,5 |
| kW at -20°C/+40°C | 168,2 |
| Sober Bancada | ✓ |
| Presostatos | ✓ |
| Manómetros de Presion | ✓ |
| Manómetros del | ✓ |
| Condensador | |
| Recipiente de líquido | ✓ |
| Recipiente de líquido ltr. | 320 |
| Separador de aceite | ✓ |
| La línea de líquido filtro | ✓ |
| secador | |
| m3 / h | 472,0 |
| Comentarios | Please note: we will only offer this as complete cooling solution with capacity matching condensor and evaporators |
| Package / Rack | ✓ |
| Tamaños | 3000x1800x2200 mm (LxWxH) |



Stock

1

Description

Used Bitzer HSK 5363-40-40P (x4)

Used Bitzer HSK 5363-40-40P compressor rack on Freon. Complete with 4 Bitzer HSK 5363-40-40P semi-hermetic screw compressors, Bitzer FS 3102 liquid receiver with a volume of 320 liter, Bitzer OA 9011 oil separator with a volume of 228 liter, suction accumulators, liquid line filter drier and pressure and safety switches/gauges.

Please note: we will only offer this as complete cooling solution with capacity matching condensor and evaporators

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning.

*Optionally we can also perform a new paint job and arrange the logistics.







