

Bock HGX6/1240-4 S (x1) & HGX6/1410-4 S (x1)

Specifications

Marca	Bock
Tipo	HGX6/1240-4 S (x1) & HGX6/1410-4 S (x1)
Refrigerante	Freon
kW at +10°C/+40°C	171,3
kW at 0°C/+40°C	115,1
kW at -5°C/+40°C	92,6
kW at -10°C/+40°C	73,4
kW at -20°C/+40°C	43,8
kW at -30°C/+40°C	23,9
Piston Descargador	✓
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Manómetros del	✓
Condensador	
Separador de aceite	✓
Sistema de nivel de aceite	✓
Mirilla	✓
Valvula Solenoide	✓
m ³ / h	230,0
Package / Rack	✓
Tamaños	1680x1440x1460 mm (LxWxH)



Stock

1

Description

Used Bock HGX6/1240-4 S (x1) & HGX6/1410-4 S (x1)

Used Bock HGX6/1240-4 S (x1) & Bock HGX6/1410-4 S (x1) semi-hermetic reciprocating compressor rack. Complete with a AC&R S-1903 oil separator, oil reservoir and pressure and safety switches/gauges. The compressors have a displacement of 230 m³/h. Capacity based on the use of Freon type: R134a.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.





