

Bock HGX6/1240-4 S (x1) & HGX6/1080-4 S (x1) & HGX5/945-4 S (x1)

Specifications

Marca	Bock
Tipo	HGX6/1240-4 S (x1) & HGX6/1080-4 S (x1) & HGX5/945-4 S (x1)
Refrigerante	Freon
kW at 0°C/+40°C	227,0
kW at -5°C/+40°C	188,0
kW at -10°C/+40°C	153,9
kW at -20°C/+40°C	99,0
kW at -30°C/+40°C	59,1
Piston Descargador	✓
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Manómetros del	✓
Condensador	
Separador de aceite	✓
Sistema de nivel de aceite	✓
Valvula Solenoide	✓
m3 / h	283,5
Tamaños	2210x1400x1540 mm (LxWxH)
Stock	1



Description

Used Bock HGX6/1240-4 S (x1) & HGX6/1080-4 S (x1) & HGX5/945-4 S (x1)

Used Bock HGX6/1240-4 S (x1) & HGX6/1080-4 S (x1) & HGX5/945-4 S (x1) semi-hermetic reciprocating compressors on Freon. Complete with a AC&R S-1904 oil separator, oil reservoir and pressure and safety switches/gauges. The compressors have a total displacement of 283,5 m³/h.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange



Your partner for used commercial and industrial refrigeration equipment

the logistics





