


Bitzer 4G-30.2Y (x2) / 44G-60.2Y

Specifications

Marca	Bitzer
Tipo	4G-30.2Y (x2) / 44G-60.2Y
Refrigerante	Freon
kW at 0°C/+40°C	137,1
kW at -5°C/+40°C	114,0
kW at -10°C/+40°C	93,9
kW at -20°C/+40°C	61,4
kW at -30°C/+40°C	37,2
kW at -40°C/+40°C	19,7
Piston Descargador	✓
Control de capacidad	✓
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Manómetros del	✓
Condensador	
Recipiente de líquido	✓
Recipiente de líquido ltr.	112
Separador de aceite	✓
La línea de líquido filtro secador	✓
Mirilla	✓
Valvula Solenoide	✓
m3 / h	169,0
Comentarios	Y.o.b. 2000
Package / Rack	✓



Tamaños	1900x1130x1450 mm (LxWxH)
Stock	1

Description

Used Bitzer 4G-30.2Y (x2) / 44G-60.2Y

Used Bitzer 4G-30.2Y (x2) / 44G-60.2Y semi-hermetic reciprocating compressors on Freon. Complete with unloaded start, capacity control, oil separator, Bitzer F1200N liquid receiver with a volume of 112 liter and pressure and safety switches/gauges.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.

