

# Goedhart FC38S(DX)-p-62357-EC

## Specifications

|                       |                            |
|-----------------------|----------------------------|
| Marca                 | Goedhart                   |
| Tipo                  | FC38S(DX)-p-62357-EC       |
| Capacidad kW          | 8,7                        |
| Refrigerante          | CO2                        |
| Número de aficionados | 2                          |
| Fan del Espacio in mm | 7                          |
| Descongelación        | None                       |
| m <sup>3</sup> /h     | 4.725                      |
| Tamaños               | 1560x740x650 mm<br>(LxWxH) |
| Comentarios           | Y.o.b. 2018                |
| Volume                | 10 dm <sup>3</sup>         |
| Peso                  | 74 kg                      |
| Stock                 | 2                          |



## Description

### Used Goedhart FC38S(DX)-p-62357-EC

New Goedhart FC38S(DX)-p-62357-EC evaporator for CO2 build in 2018. Complete with 2 Ziehl-Abegg FN035-4IW.ZC.A5P5 fans with a diameter of 350 mm and a total airflow of 4.725 m<sup>3</sup>/h.

\*All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



|   |                |   |                     |
|---|----------------|---|---------------------|
|  |                | <b>Kelvion Machine Cooling Sp. z o.o.</b><br>ul. Sikorskiego 38<br>58-160 Świebodzice<br>POLAND<br>Tel. +48 74 8500 800 www.kelvion.com |                     |
| Name Plate  |                | Article No.:/ Oznaczenie wyrobu: <b>200248411-70</b>  |                     |
| Manufacturing - Serial No./Date   |                | 67283/002/2018  |                     |
| Numer seryjny produktu/rok:   |                |   |                     |
| Client Ref:   |                |   |                     |
| Model: <b>Goedhart FC38S(DX)-p-62357-EC</b>                                       |                |   |                     |
| Fan(s):   | 1 x 230 - 50Hz | P - Fan(s) Total  | 300 W               |
|   |                | I - Fan(s) Total  | 1,3 A               |
| Elec. defrost according to wiring diagram   |                | p - Electric Defrost Total  | --- kW              |
|   |                | I - El.Deifr  | --- A               |
| Heat Exchanger  |                | Made in the EC  |                     |
| Net weight  | 74 kg          | Design pres.  | PS 28 bar / 406 psi |
| Volume  | 10 dm3         | Design temp.  | TS -5°C / 55°C      |
|   |                | Test pres.  | PT 40 bar / 580 psi |
|   |                | Min/Max all. temp   | -40°C / 100°C       |
| Safety device settings  |                |   |                     |
| Fluid group   | 2              | PED cat.  | S.E.P.              |
|   |                |   | 002 of 002          |



