

Bitzer 6H-35.2Y

Specifications

| | |
|---------------------------------------|------------------------------|
| Marca | Bitzer |
| Tipo | 6H-35.2Y |
| Refrigerante | Freon |
| kW at 0°C/+40°C | 89,3 |
| kW at -5°C/+40°C | 74,1 |
| kW at -10°C/+40°C | 60,9 |
| kW at -20°C/+40°C | 39,6 |
| kW at -30°C/+40°C | 23,8 |
| kW at -40°C/+40°C | 12,5 |
| Control de capacidad | ✓ |
| Sober Bancada | ✓ |
| Presostatos | ✓ |
| Manómetros de Presion | ✓ |
| Recipiente de líquido | ✓ |
| La línea de líquido filtro secador | ✓ |
| Valvula Solenoide | ✓ |
| Panel de control | ✓ |
| m3 / h | 110,5 |
| Tamaños | 2060x1370x1400 mm (LxWxH) |
| Stock | 1 |



Description

Used Bitzer 6H-35.2Y

Used Bitzer 6H-35.2Y semi-hermetic reciprocating compressor on Freon. Complete with a liquid receiver, pressure and safety switches/gauges and a control cabinet. The compressor has a displacement of 110,5 m³/h. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also arrange the logistics.





