

Bitzer 4G-30.2Y-40P (x2)

Specifications

Marca	Bitzer
Tipo	4G-30.2Y-40P (x2)
Refrigerante	Freon
kW at 0°C/+40°C	137,1
kW at -5°C/+40°C	114,0
kW at -10°C/+40°C	93,9
kW at -20°C/+40°C	61,4
kW at -30°C/+40°C	37,2
kW at -40°C/+40°C	19,7
Piston Descargador	✓
Control de capacidad	✓
Sober Bancada	✓
Separador de aceite	✓
Sistema de nivel de aceite	✓
m3 / h	169,2
Comentarios	SN: 1678107948 - Y.o.b. 2010
Comentarios	SN: 1674509448 - Y.o.b. 2008
Package / Rack	✓
Tamaños	2000x1550x1750 mm (LxWxH)
Stock	1



Description

Used Bitzer 4G-30.2Y-40P (x2)

Used Bitzer 4G-30.2Y-40P (x2) semi-hermetic reciprocating Freon compressors on a steel base frame. Complete with a oil separator and oil reservoir, liquid line filter drier and a AC&R oil level regulator. The compressors have a total displacement of 169,2 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *If requested we are happy to arrange your shipment.



