

Mycom N8WA

Specifications

Marca	Mycom
Tipo	N8WA
Refrigerante	NH 3 (ammonia)
kW at 0°C/+40°C	215,8*
kW at -5°C/+40°C	173,4*
kW at -10°C/+40°C	136,9*
kW at -20°C/+40°C	79,7*
Electromotor Specs	50 Hz - 22 kW - 1435 RPM
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Mirilla	✓
Valvula Solenoide	✓
m3 / h	221
Comentarios	*Capacity based on a bigger electro motor
Tamaños	2200x1150x1350 mm (LxWxH)
Stock	1





Description


Used Mycom N8WA

Used Mycom N8WA reciprocating compressor on NH3 (R717). Complete with a Leroy Somer P180M-T electro motor - 50 Hz - 22 kW - 1435 RPM, pressure and safety switches/gauges. The compressor has a displacement of 221 m³/h. Capacity based on a bigger electro motor.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.





P : 235		I.cl : F		40 °C		S : 1		%		c/h	
V	Hz	min ⁻¹	kW	Cos φ	A						
Δ380	50	1435	22	.97	44						
Δ400	50	1445	22	.85	42.7						
Δ415	50	1450	22	.81	43						

Mot 3[~] P180M - T
 N° 120471/07Kg 98
 09/93
 MADE IN FRANCE
 DE | 62122RSC3 | | g
 NDE | 62102RSC3 | | h
 MOTEURS LEROY SOMER

