

# Sabroe SMC 108 L

## Specifications

Marca	Sabroe
Tipo	SMC 108 L
Refrigerante	NH 3 (ammonia)
kW at -5°C/+40°C	489,9*
kW at -10°C/+40°C	393,4*
kW at -20°C/+40°C	241,9*
kW at -30°C/+40°C	136,4*
Electromotor Specs	50/60 Hz - 75/86 kW - 980/1175 RPM
Piston Descargador	✓
Control de capacidad	✓
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Separador de aceite	✓
Mirilla	✓
Valvula Solenoide	✓
m3 / h	565
Comentarios	Y.o.b. 2008
Comentarios	*Capacity based on booster with a condensing temperature of 10°C
Tamaños	2400x1020x1140 mm (LxWxH)
Stock	1



## Description

### Used Sabroe SMC 108 L

Used Sabroe SMC 108 L reciprocating compressor on R717 (Ammonia). Complete with a Schorch KN7280S-CB01B-Z electric motor - 50/60 Hz - 75/86 kW - 980/1175 RPM, Sabroe OVUR 3206D oil separator and pressure and safety switches/gauges. The compressor has a displacement of 565 m<sup>3</sup>/h. Please notice that the capacities are based on booster with a condensing temperature of 10°C. \*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. \*Optionally we can also perform a new paint job and arrange the logistics.





