

Goedhart VCe-p-82507

Specifications

Marca	Goedhart
Tipo	VCe-p-82507
Capacidad kW	21,0
Refrigerante	Glycol
Número de aficionados	2
Fan del Espacio in mm	7
Descongelación	Hot Gas
m ³ /h	13.750
Tamaños	2570x1250x750 mm (LxWxH)
Comentarios	Y.o.b. 2018
Remarks	Surface area: 162,3 m ²
Volume	41 dm ³
Peso	360 kg
Stock	1



Description

Used Goedhart VCe-p-82507

Used Goedhart VCe-p-82507 evaporator on Glycol/CO₂. Complete with 2 Ziehl-Abegg FN050-VDD.4I.A7P1 fans - 50 Hz - 0,84/0,54 kW - 1340/940 RPM - diameter 500 mm and a total airflow of 13.750 m³/h.

*All components of this used evaporator will be tested in good working, leak-free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform an industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



		Kelvion s.r.o. Kögstermátacka 190, Nymburk 288 02, The Czech Republic Tel.: +420 325 519 951 www.kelvion.com	
Name Plate			
Article No. / Císlo výrobku:		100570543	
Manufacturing - Serial No. / Date		200229369/30/1/2018	
Výrobní číslo / rok:			
Client Ref.		200226148-010, 1850242	
Model: Goedhart VCe-p-82507 (LLK.p)			
Fan(s):	400 V -3-	50	
P - Fan(s) Total			1.680,0 W
I - Fan(s) Total			2,9 A
Heat Exchanger		Made in the EC	
Net weight	360 KG	Design pres. PS	40 bar/580 psi
Volume	41,0 dm ³	Design temp. TS	+6/-10
		Test pres. PT	58 bar/841 psi
Safety device settings		Min./Max all temp. -40 °C/100 °C	
Fluid group	2	PED cat.	S.E.P.
		Number 1 of 1	



