

Bitzer 6G-30.2Y-40P (x2) & 4NCS-12.2Y-40P (x1)

Specifications

Marca	Bitzer
Tipo	6G-30.2Y-40P (x2) & 4NCS-12.2Y-40P (x1)
Refrigerante	Freon
kW at -5°C/+40°C	205,3
kW at -10°C/+40°C	169,3
kW at -20°C/+40°C	110,9
kW at -30°C/+40°C	67,7
kW at -40°C/+40°C	36,4
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Recipiente de líquido	✓
Recipiente de líquido ltr.	160
Separador de aceite	✓
Sistema de nivel de aceite	✓
La línea de líquido filtro secador	✓
Mirilla	✓
Valvula Solenoide	✓
m3 / h	50 Hz - 309,8 m ³ /h - 60 Hz - 374,1 m ³ /h
Comentarios	Y.o.b. 2005
Peso kg.	1500 kg



Package / Rack	✓
Tamaños	3290x950x2150 mm (LxWxH)
Stock	1

Description

Used Bitzer 6G-30.2Y-40P (x2) & 4NCS-12.2Y-40P (x1)

Used Bitzer 6G-30.2Y-40P (x2) & 4NCS-12.2Y-40P (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with Bitzer F1602N liquid receiver with a volume of 160 liters, oil separator, oil reservoir, braced heat exchanger, liquid line filter drier, and pressure and safety switches/gauges.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.





