

Bitzer 4EC-6.2 (x1) & 4EC-6.2Y-40S (x1) Condensing unit

Specifications

Marca	Bitzer
Tipo	4EC-6.2 (x1) & 4EC-6.2Y-40S (x1) Condensing unit
Refrigerante	Freon
kW at 0°C/+40°C	35,6
kW at -5°C/+40°C	29,5
kW at -10°C/+40°C	24,2
kW at -20°C/+40°C	15,7
kW at -30°C/+40°C	9,4
Sober Bancada	✓
Presostatos	✓
Recipiente de líquido	✓
La línea de líquido filtro secador	✓
Mirilla	✓
Valvula Solenoide	✓
Panel de control	✓
m3 / h	50 Hz - 44,8 m ³ /h / 60 Hz - 54,8 m ³ /h
Condensing Unit	✓
Tamaños	2620x1800x1200 mm(LxWxH)
Stock	1



Description

Used Bitzer 4EC-6.2 (x1) & 4EC-6.2Y-40S (x1) Condensing unit

Used Bitzer 4EC-6.2 (x1) & 4EC-6.2Y-40S (x1) condensing unit on Freon. Complete with a condenser with 2 Profroid CM29G/T fans - 50 Hz - 150/55 W - 400/300 RPM, pressure and safety switches, liquid receiver, liquid line filter drier and a control cabinet with 2 Danfoss controllers. The compressors have a total displacement of 44,8 m³/h at 50 Hz & 54,8 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to



arrange your logistics.







