

DWM 3DC5-100X-AWM/D

Specifications

Marca	DWM
Tipo	3DC5-100X-AWM/D
Refrigerante	Freon
kW at -5°C/+40°C	27,5
kW at -10°C/+40°C	22,7
kW at -20°C/+40°C	14,9
kW at -30°C/+40°C	8,9*
Sober Bancada	✓
Recipiente de líquido	✓
Recipiente de líquido ltr.	65 l
Acumulador de succión	✓
Separador de aceite	✓
La línea de líquido filtro	✓
secador	
Mirilla	✓
Valvula Solenoide	✓
Panel de control	✓
m3 / h	50 Hz - 38,0 m ³ /h
Comentarios	*High Discharge Temperature - Additional Cooling Required
Tamaños	1310x600x1300 mm (LxWxH)
Stock	1



Description

Used DWM 3DC5-100X-AWM/D

Used DWM/Copeland 3DC5-100X-AWM/D semi-hermetic reciprocating compressor on Freon. Complete with a oil separator, OSC COLD s.r.l. liquid receiver RLH 65LT., suction accumulator, sight glass and a control cabinet. The compressor has a displacement of 38,0 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. *If requested we are happy to arrange your shipment.





