

Bitzer 4H-15.2Y

Specifications

Marca	Bitzer
Tipo	4H-15.2Y
Refrigerante	Freon
kW at -5°C/+40°C	49,7
kW at -10°C/+40°C	41,1
kW at -20°C/+40°C	27,1
kW at -30°C/+40°C	9,2
kW at -40°C/+40°C	6,4
Control de capacidad	✓
Sober Bancada	✓
Presostatos	✓
Recipiente de líquido	✓
Recipiente de líquido ltr.	45
Acumulador de succión	✓
Separador de aceite	✓
La línea de líquido filtro secador	✓
Mirilla	✓
Valvula Solenoide	✓
m3 / h	50 Hz - 73,6 m ³ /h / 60 Hz - 88,8 m ³ /h
Tamaños	2330x750x1100 mm (LxW)
Stock	2



Description

Used Bitzer 4H-15.2Y

Used Bitzer 4H-15.2Y semi-hermetic reciprocating compressor on Freon. Complete with a suction accumulator, oil separator, liquid receiver with a volume of 45 liter, capacity control, liquid line filter drier, pressure and safety switches. The compressor has a displacement of 73,6 m³/h at 50 Hz & 88,8 m³/h at 60 Hz.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.





