

# Mycom C6 HK

## Specifications

|                                    |                                                                         |
|------------------------------------|-------------------------------------------------------------------------|
| Marca                              | Mycom                                                                   |
| Tipo                               | C6 HK                                                                   |
| Refrigerante                       | CO2                                                                     |
| Refrigerant type                   | R744                                                                    |
| kW at -30°C/+40°C                  | 480,0*                                                                  |
| kW at -40°C/+40°C                  | 300,0*                                                                  |
| kW at -45°C/+40°C                  | 250,0*                                                                  |
| Sober Bancada                      | ✓                                                                       |
| Presostatos                        | ✓                                                                       |
| Manómetros de Presion              | ✓                                                                       |
| Separador de aceite                | ✓                                                                       |
| Sistema de nivel de aceite         | ✓                                                                       |
| La línea de líquido filtro secador | ✓                                                                       |
| Mirilla                            | ✓                                                                       |
| Valvula Solenoide                  | ✓                                                                       |
| m3 / h                             | 239 m³/h - 1800 RPM                                                     |
| Comentarios                        | Y.o.b. 2017                                                             |
| Comentarios                        | *Capacities are based on a condensing temperature of -10°C and 1450 RPM |
| Tamaños                            | 1870x1400x2200 mm (LxWxH)                                               |
| Stock                              | 1                                                                       |



## Description

### Used Mycom C6 HK

Used Mycom C6HK open-type reciprocating compressor on CO2. Complete with a Leroy Somer PLS250MP-T electromotor - 50/60 Hz - 90/103 kW - 1469/1771 RPM, Mayekawa MAA 2565-40 oil separator with a volume of 58 liters and pressure safety switches / gauges. The capacities are based on a condensing temperature of -10°C and 1450 RPM. \*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.





