

Bitzer 4HE-15Y-40P + 4NES-12Y-40P (x2) + 2KSL-1K-40S (x2) + 44VES-20Y-40P CO2/Freon system

Specifications

Marca	Bitzer
Tipo	4HE-15Y-40P + 4NES-12Y-40P (x2) + 2KSL-1K-40S (x2) + 44VES-20Y-40P CO2/Freon system
Refrigerante	CO2
kW at -10°C/+40°C	83,8
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Recipiente de líquido	✓
Recipiente de líquido ltr.	80
Separador de aceite	✓
Sistema de nivel de aceite	✓
La línea de líquido filtro secador	✓
Mirilla	✓
Panel de control	✓
Comentarios	y.o.b. 2014
Package / Rack	✓
Tamaños	3510x1400x2000 mm
Stock	1



Description

Used Bitzer 4HE-15Y-40P + 4NES-12Y-40P (x2) + 2KSL-1K-40S (x2) + 44VES-20Y-40P CO2/Freon system

Used Bitzer CO2/Freon installation with a cool/freeze and heat pump system. Cool system: (1x) Bitzer 4HE-15Y-40P (2x) Bitzer 4NES-12Y-40P capacity 84 kW (-10/+40°C) 70 Hz - R134A. Freeze system: (2x) Bitzer 2KSL-1K-40S capacity 11 kW (-33/-5°C) 60 Hz - R744. Heatpump system: Bitzer 44VES-20Y-40P capacity 56 kW (+10/+48°C) 70 Hz - R134A with air purger. Emergency cooling (1x) Bitzer 4FES-3Y-40S capacity 0,39 kW (+10/+40°C).

*Why choose for HOSBV? Were not only the largest used refrigeration specialist



in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.
*Optional we can also arrange the logistics.







