

Bitzer 4T-12.2 (x2) Condensing unit

Specifications

Marca	Bitzer
Tipo	4T-12.2 (x2) Condensing unit
Refrigerante	Freon
kW at 0°C/+40°C	65,4
kW at -5°C/+40°C	54,3
kW at -10°C/+40°C	44,7
kW at -20°C/+40°C	29,1
kW at -30°C/+40°C	17,7
kW at -40°C/+40°C	9,53
Piston Descargador	✓
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Recipiente de líquido	✓
Recipiente de líquido ltr.	110
Separador de aceite	✓
Sistema de nivel de aceite	✓
La línea de líquido filtro secador	✓
Mirilla	✓
Condensing Unit	✓
Tamaños	2800x760x550 mm (LxWxH)
Stock	1



Description

Used Bitzer 4T-12.2 (x2) Condensing unit

Used Bitzer condensing unit consisting of the following components: 2x Bitzer 4T-12.2 compressor, 1x Apparatebau liquid receiver 110 ltr with liquid line filter and 2x oil separators. Helpman condenser with 4 ATB Fans 50 Hz - 0,18 kW - 910 RPM.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment after performing an extensive test, warranty and industrial cleaning. *Optional we can also arrange the logistics.



