

Frascold Q5-33.1Y1000 (x2) & D4-16.1Y1000 (x1)

Specifications

Marque	Frascold
Le type	Q5-33.1Y1000 (x2) & D4-16.1Y1000 (x1)
Réfrigérant	Freon
kW at -10°C/+40°C	44,9
kW at -20°C/+40°C	29,6
kW at -30°C/+40°C	18,3
Contrôle de capacité	✓
Sur le châssis en acier	✓
Manomètres	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	50
Séparateur d'huile	✓
Système de niveau d'huile	✓
Voyant	✓
Panneau de configuration	✓
m3 / h	81,8
Package / Rack	✓
Tailles	1930x1000x1860 mm (LxWxH)
Stock	1



Description

Used Frascold Q5-33.1Y1000 (x2) & D4-16.1Y1000 (x1)

Used Frascold Q5-33.1Y1000 (x2) & D4-16.1Y1000 (x1) compressor rack on Freon. Complete with a Frascold TWINQ5-33.1Y1000 semi-hermetic tandem compressor and a Frascold D4-16.1Y1000 semi-hermetic piston compressor, GVN HLR-8A-F/F-50x1 liquid receiver with a volume of 50 liter, oil separator, oil reservoir, Alfa Laval CB30-30H plate heat exchanger functioning as oil cooler, Grundfos UPS 25-80 circulating pump, Carel NXL003152H variable frequency drive, Eliwell EWCM 9100 display and a control box.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist



in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning.
*Optionally we can also perform a new paint job and arrange the logistics.









