

Bitzer 6F-40.2Y-40P (x2) / 66F-80.2Y-40P

Specifications

Marque	Bitzer
Le type	6F-40.2Y-40P (x2) / 66F-80.2Y-40P
Réfrigérant	Freon
kW at -10°C/+40°C	166,2
kW at -20°C/+40°C	108,5
kW at -30°C/+40°C	65,9
kW at -40°C/+40°C	35,1
kW at -45°C/+40°C	23,4
Contrôle de capacité	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Réservoir de liquide	✓
Aspiration d'accumulateur	✓
Séparateur d'huile	✓
Voyant	✓
m3 / h	303,2
Remarques	Y.o.b. 2008
Tailles	2300x1100x1580 mm (LxWxH)
Stock	2



Description

Used Bitzer 6F-40.2Y-40P (x2) / 66F-80.2Y-40P

Used Bitzer 6F-80.2Y-40P (x2) compressor unit on Freon. Complete with a Bitzer 66F-80.2Y-40P semi-hermetic tandem compressor, liquid receiver, suction accumulator, Temprite 927 oil separator, suction accumulator, pressure and safety switches/gauges and a control box with 1 Eliwell EWCM 9100 and 2 Eliwell ID974LK displays.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning.

*Optionally we can also perform a new paint job and arrange the logistics.







