


Bitzer 4G-30.2Y (x2)

Specifications

Marque	Bitzer
Le type	4G-30.2Y (x2)
Réfrigérant	Freon
kW at 0°C/+40°C	137,1
kW at -5°C/+40°C	114,0
kW at -10°C/+40°C	93,9
kW at -20°C/+40°C	61,4
kW at -30°C/+40°C	37,2
kW at -40°C/+40°C	16,7
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Commutateurs de pression de condensation	✓
Aspiration d'accumulateur	✓
Séparateur d'huile	✓
Système de niveau d'huile	✓
m ³ / h	169,0
Remarques	Y.o.b. 2002
Package / Rack	✓
Tailles	2110x1330x1250 mm (LxWxH)
Stock	1



Description

Used Bitzer 4G-30.2Y (x2)

Used Bitzer 4G-30.2Y compressor rack on Freon. Complete with 2 Bitzer 4G-30.2Y semi-hermetic reciprocating compressors, 2 Frigo Mec 10/S-ODS 54 suction accumulators, ESK Schultze OS-54FM oil separator, Frigo Mec RH-150X500 oil reservoir and pressure and safety switches/gauges. The compressors have a displacement of 169,0 m³/h together.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.

