

## Bitzer OSN 7461-K (x2)

### Specifications

Marque	Bitzer
Le type	OSN 7461-K (x2)
Réfrigérant	Freon
kW at -20°C/+40°C	178,7
kW at -30°C/+40°C	110,8
kW at -40°C/+40°C	64,1
kW at -45°C/+40°C	47,0
Démarrage à vide	✓
Contrôle de capacité	✓
Sur le châssis en acier	✓
Séparateur d'huile	✓
Electrovanne	✓
m3 / h	220 - 606
Remarques	Y.o.b. 2012
Remarques	Please note: we will only offer this as complete blastfreezing solution with capacity matching condensor and evaporators.
Package / Rack	✓
Tailles	1930x1100x1780 mm (LxWxH)
Stock	1



### Description

#### Used Bitzer OSN 7461-K (x2)

Used Bitzer OSN 7461-K compressor rack on Freon. Complete with 2 Bitzer OSN 7461-K open screw compressors, 1 MEZ Frenštát F225M02 - 50 Hz - 45 kW - 2960 RPM electromotor, 1 VEB KMER 225 M2 - 50 Hz - 45 kW - 2950 RPM electromotor, Bitzer OA 4588 oil separator, Bitzer OW501B oil cooler. The compressors have a total displacement of 606 m<sup>3</sup>/h.

Please note: we will only offer this as complete blastfreezing solution with capacity matching condensor and evaporators.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an



extensive test, warranty and industrial cleaning. \*Optional we can also perform a new paint job and arrange the logistics.







