

Bitzer 4NCS-12.2Y-40P (x2) & 4NES-12Y-40P (x1)

Specifications

Marque	Bitzer
Le type	4NCS-12.2Y-40P (x2) & 4NES-12Y-40P (x1)
Réfrigérant	Freon
kW at 0°C/+40°C	84,3
kW at -5°C/+40°C	67,7
kW at -10°C/+40°C	53,5
kW at -20°C/+40°C	31,3
Sur le châssis en acier	✓
Manomètres	✓
Commutateurs de pression de condensation	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	70
Panneau de configuration	✓
m3 / h	168,6
Remarques	Y.o.b. 2010
Remarques	4NES-12Y-40P - Y.o.b. 2014
Package / Rack	✓
Tailles	2000x900x1900 mm (LxWxH)
Stock	1



Description

Used Bitzer 4NCS-12.2Y-40P (x2) & 4NES-12Y-40P (x1)

Used Bitzer 4NCS-12.2Y-40P (x2) & Bitzer 4NES-12Y-40P semi-hermetic reciprocating compressors on Freon. Complete with a Tecnac RV-273-70 liquid receiver with a volume of 70 liter, pressure and safety switches, condensing switches and a control cabinet with a Linde display. The compressors have a displacement of 168,6 m³/h.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange



Your partner for used commercial and industrial refrigeration equipment

the logistics







