

Bock HGX7/1860-4 S (x2) & HGX6/1240-4 S (x1)

Specifications

Marque	Bock
Le type	HGX7/1860-4 S (x2) & HGX6/1240-4 S (x1)
Réfrigérant	Freon
kW at 0°C/+40°C	331,2
kW at -5°C/+40°C	276,1
kW at -10°C/+40°C	226,1
kW at -20°C/+40°C	146,0
kW at -30°C/+40°C	86,2
kW at -40°C/+40°C	44,3
kW at -45°C/+40°C	28,3
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Commutateurs de pression de condensation	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	320
Aspiration d'accumulateur	✓
Séparateur d'huile	✓
Système de niveau d'huile	✓



Liquid déshydrateur	✓
ligne	
Electrovanne	✓
m3 / h	430,4
Package / Rack	✓
Tailles	5000x1230x2420 mm (LxWxH)
Stock	1

Description

Used Bock HGX7/1860-4 S (x2) & HGX6/1240-4 S (x1)

Used Bock HGX7/1860-4 S (x2) & HGX6/1240-4 S (x1) semi-hermetic reciprocating compressors on Freon. Complete with a Bitzer FS 3102 liquid receiver with a volume of 320 liter, Henry S-1904-CE oil separator, Henry S-9108-CE oil reservoir, suction accumulator, liquid line filter drier, pressure and safety switches/gauges, ABB frequency drive and a control cabinet.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.













