

Bitzer OSN7451-K (x3)

Specifications

Marque	Bitzer
Le type	OSN7451-K (x3)
Réfrigérant	Freon
kW at -20°C/+40°C	313,3
kW at -30°C/+40°C	212,9
kW at -40°C/+40°C	136,1
kW at -45°C/+40°C	105,0
Démarrage à vide	✓
Contrôle de capacité	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	320
Aspiration d'accumulateur	✓
Séparateur d'huile	✓
Système de niveau d'huile	✓
Liquid déshydrateur ligne	✓
Voyant	✓
m3 / h	576
Remarques	Y.o.b. 2005



blastfreezing solution with capacity matching condensor and evaporators.

Rack type/Back	Please note: we will only offer 1200x2200 plate
Tailles	(LxWxH)
Stock	1

Description

Used Bitzer OSN7451-K (x3)

Used Bitzer OSN7451-K (x3) open screw compressor rack with economizer on Freon. Complete with 3 Schorch KN7200M electric motors - 50 Hz - 45 kW - 2945 RPM, Bitzer OA 4088 oil separator with a volume of 88 liter, oil cooler, oil filter, suction accumulator, liquid receiver with a volume of 320 liter, pressure and safety switches/gauges. The compressors together have a displacement of 576 m³/h.

Please note: we will only offer this as complete blastfreezing solution with capacity matching condensor and evaporators.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.







