

# Bitzer 6H-25.2Y-40P

## Specifications

Marque	Bitzer
Le type	6H-25.2Y-40P
Réfrigérant	Freon
Refrigerant type	Freon
kW at -5°C/+40°C	74,7
kW at -10°C/+40°C	61,6
kW at -20°C/+40°C	40,4
kW at -30°C/+40°C	24,8
kW at -40°C/+40°C	13,4
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Réservoir de liquide	✓
Séparateur d'huile	✓
Liquid déshydrateur	✓
ligne	
Voyant	✓
Electrovanne	✓
Panneau de configuration	✓
m3 / h	110,5 - 133,4
Remarques	Y.o.b. 2009
Tailles	1650x870x1650 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 6H-25.2Y-40P

Used Bitzer 6H-25.2Y-40P semi-hermetic reciprocating compressor on Freon. Complete with a Bitzer F732N liquid receiver with a volume of 73 liter, oil separator, liquid line filter drier, pressure and safety switches and a control panel. The compressor has a displacement of 110,5 m<sup>3</sup>/h at 1450 RPM and 133,4 m<sup>3</sup>/h at 1750 RPM.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also perform a new paint job and arrange the logistics.



