

# Bitzer 2EC-3.2Y

## Specifications

Marque	Bitzer
Le type	2EC-3.2Y
Réfrigérant	Freon
kW at 0°C/+40°C	8,9
kW at -5°C/+40°C	7,4
kW at -10°C/+40°C	6,1
kW at -20°C/+40°C	4,0
kW at -30°C/+40°C	2,4
kW at -40°C/+40°C	1,3
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	7,8
Liquid déshydrateur ligne	✓
Voyant	✓
m <sup>3</sup> / h	11,3 - 13,7
Remarques	Y.o.b. 2003
Tailles	1000x440x610 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 2EC-3.2Y

Used Bitzer 2EC-3.2Y semi-hermetic reciprocating compressor on Freon with a sight glass. Complete with a Bitzer FS 75 liquid receiver, pressure and safety switch and a liquid line filter drier. The compressor has a displacement of 11,3 m<sup>3</sup>/h at 1450 RPM and 13,7 m<sup>3</sup>/h at 1750 RPM.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. \*Optionally we can also perform a new paint job and arrange the logistics.



