

## Bitzer 6FEP-50P-40P (x2)

### Specifications

Marque	Bitzer
Le type	6FEP-50P-40P (x2)
Réfrigérant	Other
Refrigerant type	R290 (Propane)
kW at 0°C/+40°C	217,9
kW at -5°C/+40°C	181,2
kW at -10°C/+40°C	149,1
kW at -20°C/+40°C	96,8
kW at -30°C/+40°C	57,9
kW at -40°C/+40°C	29,8
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Commutateurs de pression de condensation	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	590
Voyant	✓
m <sup>3</sup> / h	303,2 m <sup>3</sup> /h at 50 Hz - 366,2 m <sup>3</sup> /h at 60 Hz
Remarques	Y.o.b. 2015
Package / Rack	✓



1 condenser:

3610x2120x1170 mm  
(LxWxH)

Stands

Compressor set:

4100x1650x2200 mm  
(LxWxH)

## Description

### Used Bitzer 6FEP-50P-40P (x2)

Used Bitzer 6FEP-50P-40P (x2) semi-hermetic reciprocating compressor set on R290 (Propane) build in 2015. Each compressor complete with a SWEP F400Thx104/1P-SC-M braced heat exchanger, SWEP B35Hx40/1P-SC-S braced heat exchanger, pressure and safety switches/gauges and a Danfoss FC-103P55KT4E20H frequency converter and a Guntner microchannel condenser. Further the unit comes with a Frigo-Mec FK 590+2M1-1/8" liquid receiver with a volume of 590 liter, Hermetic CAMhs 2/4 pump and a control cabinet. The compressors have a total displacement of 303,2 m<sup>3</sup>/h at 50 Hz and 366,2 m<sup>3</sup>/h at 60 Hz.

Please notice that this propane set comes with 2 Guntner microchannel condensers.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*Optional we can also perform a new paint job and arrange the logistics.











