

# Goedhart VCe-p-82507

## Specifications

La marque	Goedhart
Type	VCe-p-82507
Capacité kW	21,0
Réfrigérant	Glycol
Nombre de ventilateurs	2
Espace Fan in mm	7
Dégivrage	Hot Gas
m <sup>3</sup> /h	13.750
Tailles	2570x1250x750 mm (LxWxH)
Remarques	Y.o.b. 2018
Remarks	Surface area: 162,3 m <sup>2</sup>
Volume	41 dm <sup>3</sup>
Poids	360 kg
Stock	1



## Description

### Used Goedhart VCe-p-82507

Used Goedhart VCe-p-82507 evaporator on Glycol/CO<sub>2</sub>. Complete with 2 Ziehl-Abegg FN050-VDD.4I.A7P1 fans - 50 Hz - 0,84/0,54 kW - 1340/940 RPM - diameter 500 mm and a total airflow of 13.750 m<sup>3</sup>/h.

\*All components of this used evaporator will be tested in good working, leak-free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform an industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



		<b>Kelvion s.r.o.</b> Kögstermátacka 190, Nymburk 288 02, The Czech Republic Tel.: +420 325 519 951 www.kelvion.com	
Name Plate			
Article No. / Císlo výrobku:		<b>100570543</b>	
Manufacturing - Serial No. / Date		<b>200229369/30/1/2018</b>	
Výrobní číslo / rok:			
Client Ref.		<b>200226148-010, 1850242</b>	
Model: <b>Goedhart VCe-p-82507 (LLK.p)</b>			
Fan(s):	400 V -3-	50	
P - Fan(s) Total			1.680,0 W
I - Fan(s) Total			2,9 A
Heat Exchanger		Made in the EC	
Net weight	360 KG	Design pres. PS	40 bar/580 psi
Volume	41,0 dm <sup>3</sup>	Design temp. TS	+6/-10
		Test pres. PT	58 bar/841 psi
Safety device settings		Min./Max all temp. -40 °C/100 °C	
Fluid group	2	PED cat.	S.E.P.
		Number 1 of 1	



