

Bitzer 6G-30.2Y-40P (x2) & 4CC-6.2Y-40S (x1)

Specifications

Marque	Bitzer
Le type	6G-30.2Y-40P (x2) & 4CC-6.2Y-40S (x1)
Réfrigérant	Freon
kW at -5°C/+40°C	189,1
kW at -10°C/+40°C	156,1
kW at -20°C/+40°C	102,5
kW at -30°C/+40°C	62,8
kW at -40°C/+40°C	34,0
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Commutateurs de pression de condensation	✓
Réservoir de liquide ltr.	160
Séparateur d'huile	✓
Système de niveau d'huile	✓
Liquid déshydrateur ligne	✓
Voyant	✓
m ³ / h	50 Hz - 286,1 m ³ /h / 60 Hz - 345,4 m ³ /h



Remarques	Y.o.b. 2005
Weight	1500 kg
Package / Rack	✓
Tailles	3290x950x2150 mm (LxWxH)
Stock	1

Description

Used Bitzer 6G-30.2Y-40P (x2) & 4CC-6.2Y-40S (x1)

Used Bitzer 6G-30.2Y-40P (x2) & 4CC-6.2Y-40S (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with a Bitzer F1602N liquid receiver with a volume of 160 liters, Henry S-5202-CE oil separator, braced heat exchanger, and pressure and safety switches/gauges.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.







