

DWM D4HD5-250X-AWM/D (x1) & D4DH3-250X-AWM/D (x1)

Specifications

Marque	DWM
Le type	D4HD5-250X-AWM/D (x1) & D4DH3-250X-AWM/D (x1)
Réfrigérant	Freon
kW at 0°C/+40°C	121,5
kW at -5°C/+40°C	100,8
kW at -10°C/+40°C	82,7
kW at -20°C/+40°C	53,4
kW at -30°C/+40°C	31,9
Contrôle de capacité	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Réservoir de liquide	✓
Séparateur d'huile	✓
Liquid déshydrateur ligne	✓
Voyant	✓
Electrovanne	✓
m ³ / h	141,8
Package / Rack	✓
Tailles	2100x1100x1550 mm (LxWxH)
Stock	1



Description

Used DWM D4HD5-250X-AWM/D (x1) & D4DH3-250X-AWM/D (x1)

Used DWM D4DH5-250X-AWM/D (x2) semi-hermetic reciprocating compressors on Freon. Complete with a liquid receiver, oil separator, liquid line filter drier and pressure and safety switches. The compressors have a displacement of 141,8 m³/h.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. *If requested we are happy to arrange your shipment.





