

Sabroe SAB 128 HF MK3 man VI

Specifications

Marque	Sabroe
Le type	SAB 128 HF MK3 man VI
Réfrigérant	Freon
kW at 0°C/+40°C	385,2
kW at -10°C/+40°C	288,6 (-10°C/+35°C)
Démarrage à vide	✓
Sur le châssis en acier	✓
Manomètres	✓
Séparateur d'huile	✓
Voyant	✓
Panneau de configuration	✓
m ³ / h	454,0 m ³ /h -2950 RPM
Remarques	Y.o.b. 1998
Tailles	2200x1000x1600 mm (LxWxH)
Stock	1



Description

Used Sabroe SAB 128 HF MK3 man VI

Used Sabroe SAB 128 HF screw compressor unit on Freon. Complete with a P225MR-T electric motor - 50 Hz - 75 kW - 2940/2955 RPM, Sabroe OHU 4119 D oil separator with a volume of 270 liters, oil pump with a Marelli Motori MA90L4 electric motor, Sabroe Unisab II control panel and control box with a Danfoss display. The compressor has a displacement of 454 m³/h.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can also perform a new paint job and arrange the logistics.







