

## Bitzer 6GE-40Y-40P (x3)

### Specifications

Marque	Bitzer
Le type	6GE-40Y-40P (x3)
Réfrigérant	Freon
kW at 0°C/+40°C	307,2
kW at -5°C/+40°C	255,6
kW at -10°C/+40°C	210,6
kW at -20°C/+40°C	138,0
kW at -30°C/+40°C	84,6
kW at -40°C/+40°C	46,2
kW at -45°C/+40°C	31,7
Démarrage à vide	✓
Contrôle de capacité	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité	✓
de pression	
Manomètres	✓
Commutateurs de	✓
pression de	
condensation	
Séparateur d'huile	✓
Système de niveau	✓
d'huile	
Liquid déshydrateur	✓
ligne	
Voyant	✓
Electrovanne	✓



	Hz - 458,7 m <sup>3</sup> /h
Remarques	50 Hz 2080,4 m <sup>3</sup> /h / 60
Package / Rack	✓
Tailles	2170x950x1940 mm (LxWxH)
Stock	3

## Description

### Used Bitzer 6GE-40Y-40P (x3)

Used Bitzer 6GE-40Y-40P (x3) semi-hermetic screw compressor rack on Freon. Complete with an AC&R S-5413-CE oil separator, ESK Schultze OSA-11 oil reservoir, liquid line filter drier, oil level AC&R, unloaded start, capacity control and a control cabinet. \*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*If requested we are happy to arrange your logistics.









