

Mycom N6M

Specifications

Marque	Mycom
Le type	N6M
Réfrigérant	NH 3 (ammonia)
Électromoteur Specs	50/60 Hz - 132/151 kW - 990/1185 RPM
Démarrage à vide	✓
Contrôle de capacité	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Séparateur d'huile	✓
Voyant	✓
m3 / h	958 m ³ /h at 1500 RPM
Remarques	Y.o.b. 2010
Tailles	2650x1750x2600 mm (LxWxH)
Stock	4




Description



Used Mycom N6M

Used Mycom N6M reciprocating compressor on NH₃ with head cooling. Complete with WEG 315SM6 electric motor - 50/60 Hz - 132/151 kW - 990/1185 RPM, Mayekawa OSF250-26/52-RM4-CE oil separator, oil cooler and pressure and safety switches/gauges. The compressor has a displacement of 958 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.





MYCOM RECIPROCATING COMPRESSOR					
Model		Serial No			
N6M		6110224			
PS (MPa)	HP	3	LP	2	
PT(MPa)	HP	4,5	LP	3	
Max. speed (rpm)	1500		Year	2010	
Max. swept vol. (m3/h)	958		at max. speed		

MYCOM RECIPROCATING COMPRESSOR					
Model		Serial No			
N6M		6110212			
PS (MPa)	HP	3	LP	2	
PT(MPa)	HP	4,5	LP	3	
Max. speed (rpm)	1500		Year	2010	
Max. swept vol. (m3/h)	958		at max. speed		

