


Sabroe SAB 128 HR

Specifications

Marque	Sabroe
Le type	SAB 128 HR
Réfrigérant	NH 3 (ammonia)
kW at 0°C/+40°C	580,1
kW at -5°C/+40°C	476,9
kW at -10°C/+40°C	388,2
kW at -20°C/+40°C	294,4
kW at -30°C/+40°C	184,5
kW at -40°C/+40°C	106,6
Électromoteur Specs	5/101 Hz - 6/132 kW - 251/6019 RPM
Démarrage à vide	✓
Contrôle de capacité	✓
Sur le châssis en acier	✓
Séparateur d'huile	✓
m3 / h	616 m³/h
Remarques	Y.o.b. 2004
Package / Rack	✓
Tailles	2150x1200x1700 mm (LxWxH)
Stock	2



Description

Used Sabroe SAB 128 HR

Used Sabroe SAB 128 HR screw compressor on R717 (Ammonia). Complete with a Schorch LN3225M-AB81L-Z electric motor - 5/101 Hz - 6/132 kW - 251/6019 RPM, Sabroe OHU 4119D oil separator with a volume of 270 liter, Sabroe OOSI 21142A oil cooler and a oil pump. The compressor has a displacement of 616 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.



