

## Bitzer HSN 7471-75-40P (x3)

### Specifications

Marque	Bitzer
Le type	HSN 7471-75-40P (x3)
Réfrigérant	Freon
kW at -20°C/+40°C	360,9
kW at -30°C/+40°C	248,7
kW at -40°C/+40°C	163,5
kW at -45°C/+40°C	129,0
Démarrage à vide	✓
Contrôle de capacité	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité	✓
de pression	
Manomètres	✓
Réservoir de liquide	✓
Séparateur d'huile	✓
Liquid déshydrateur	✓
ligne	
Voyant	✓
Electrovanne	✓
Panneau de	✓
configuration	
m3 / h	50 Hz - 750 m <sup>3</sup> /h & 60 Hz - 900 m <sup>3</sup> /h
Remarques	Y.o.b. 2004 (s.nr: 1066800052) & y.o.b. 2000 (s.nr: 5871892)
Package / Rack	✓



---

Tailles	3700x1420x1780 mm (LxWxH)
Stock	1

---

## Description

### Used Bitzer HSN 7471-75-40P (x3)

Used Bitzer HSN 7471-75-40P (x3) semi-hermetic screw compressor skid on Freon. Complete with a Hans Güntner liquid receiver with a volume of 400 liters, Bitzer OA 9011 oil separator, Vahterus PSHE 3HH-38/1/1 oil cooler, Vahterus Q plate 3HH-96/3/2 as economizer, pressure and safety switches/gauges and a control cabinet with a Eliwell EWCM890/S controller. The compressors have a total displacement of 750 m<sup>3</sup>/h at 50 Hz & 900 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.













