

Bitzer 4P.2 (x2)

Specifications

Marque	Bitzer
Le type	4P.2 (x2)
Réfrigérant	Freon
kW at +10°C/+40°C	103,8
kW at 0°C/+40°C	79,2
kW at -5°C/+40°C	60,4
kW at -10°C/+40°C	49,6
kW at -20°C/+40°C	32,1
kW at -30°C/+40°C	19,4
kW at -40°C/+40°C	10,4
Électromoteur Specs	11
Démarrage à vide	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	80
Séparateur d'huile	✓
Liquid déshydrateur ligne	✓
Voyant	✓
Panneau de configuration	✓
Remarques	Electromotor: 11 kW at 1460 RPM



	freon types
Rack type / Rack	R404a - R22 or other
Tailles	2400x1300x2150 mm (LxWxH)
Stock	1

Description

Used Bitzer 4P.2 (x2)

Used Bitzer 4P.2 (x2) freon compressor rack, complete with unloaded start, pressure safety switches, pressure gauges, oil separator, liquid line filter drier, sight glass, control panel and liquid receiver with a volume of 80 liters.

Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. *If requested we are happy to arrange your logistics.



