

# Bitzer 4N.2 Condensing unit

## Specifications

Marque	Bitzer
Le type	4N.2 Condensing unit
Réfrigérant	Freon
kW at +10°C/+40°C	62,1*
kW at 0°C/+40°C	47,9
kW at -5°C/+40°C	39,9
kW at -10°C/+40°C	32,9
kW at -20°C/+40°C	21,7
kW at -30°C/+40°C	13,4
kW at -40°C/+40°C	7,5
Démarrage à vide	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	55
Panneau de configuration	✓
Remarques	*Capacity based on +7.5°C/+40°C
Remarques	R404a - R22 or other freon types
Condensing Unit	✓
Tailles	1950x750x1850 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 4N.2 Condensing unit

Used Bitzer 4N.2 freon condensing unit, complete with unloaded start, pressure safety switches, control panel and liquid receiver with a volume of 55 liters. This unit has a cooling capacity of 62,1 kW at +7.5°C/+40°C.

Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. \*If requested we are happy to arrange your logistics.



