

Mycom 160 SUD-HE

Specifications

Marque	Mycom
Le type	160 SUD-HE
Réfrigérant	Freon
kW at +10°C/+40°C	491,9
kW at 0°C/+40°C	351,1
kW at -5°C/+40°C	293,5
kW at -10°C/+40°C	243,4
kW at -20°C/+40°C	162,8
kW at -30°C/+40°C	103,7
kW at -40°C/+40°C	61,6
Électromoteur Specs	90 kW at 2960 RPM
Démarrage à vide	✓
Contrôle de capacité	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Séparateur d'huile	✓
Electrovanne	✓
Remarques	R404a - R22 or other freon types
Package / Rack	✓
Tailles	3600x1800x2350 mm (LxWxH)
Stock	1



Description

Used Mycom 160 SUD-HE

Used Mycom 160 SUD-HE freon compressor rack, complete with unloaded start, capacity control, pressure safety switches, pressure gauges, oil separator and solenoid valve. This unit has a cooling capacity of 491,9 kW at +10°C/+40°C.

Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. *If requested we are happy to arrange your logistics.





