


Bitzer 6G.2

Specifications

Marque	Bitzer
Le type	6G.2
Réfrigérant	Freon
Refrigerant type	R 404 A or other types
kW at +10°C/+40°C	138,9*
kW at 0°C/+40°C	106,3
kW at -5°C/+40°C	88
kW at -10°C/+40°C	72,2
kW at -20°C/+40°C	46,8
kW at -30°C/+40°C	28,2
kW at -40°C/+40°C	15,1
Électromoteur Specs	18,5
Démarrage à vide	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	75
Liquid déshydrateur	✓
ligne	
Voyant	✓
Panneau de configuration	✓



	at 1470 RPM // Pulley
	EM: 220 / Comp: 220
Package Back	y.o.b. 2011 // *Capacity
Tailles	based on 1400x750x1400mm (LxWxH) motor: 18,5 kW
Projet	Note: Bitzer 6G.2 has been removed
Stock	1

Description

Used Bitzer 6G.2

Used Bitzer 6G.2 freon compressor rack, complete with unloaded start, pressure safety switches, pressure gauges, liquid line filter drier, sight glass, control panel and liquid receiver with a volume of 75 liters.

Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. *If requested we are happy to arrange your logistics.

