

Baltimore VXC 250 R

Specifications


La marque	Baltimore
Le type	VXC 250 R
Type de produit	Evaporating Condenser
Capacité kW	1078
Nombre de ventilateurs	3
RPM de fans	1500
Réfrigérant	NH 3 / Freon
Remarques	Motor: 18,5 kW at 1500 RPM // Pump: 2,2 kW at 2840 RPM // Shipping Weight: 4.770 kg. //
Remarks	yob2012
Stock	1




Description

Used Baltimore VXC 250 R

Used Baltimore VXC 250 . *All components of this used condensers will be tested on good working, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.







VERDAMPINGSCONDENSOR E-121

FABRIKAAT : BALTIMORE
 TYPE : VXC-N250/VH-3
 CAPACITEIT : 880 kW
 COND. TEMP. : +35 °C
 N.B. TEMP. : +22 °C
 CONSTR./CERT. : STOOMWEZEN
 WATERVERBRUIK : ca. 2,7 m³/h (0,74 dm³/sec)
 SPUI-FACTOR : 2

VENTILATORMOTOR M-121

VERMOGEN : 18,5 kW
 TOERENTAL : 1500/750 omw./min.
 NOM. STROOM : 37,5 Amp
 STARTSTROOM : 6 x I-nom (D.O.L.)
 SPANNING : 380V-3pH-50Hz

WATERPOMP P-121

VERMOGEN : 2,2 kW
 TOERENTAL : 2900 omw./min.
 NOM. STROOM : 4,85 Amp
 SPANNING : 380V-3pH-50Hz

BAKVERWARMING HE121.05 & HE121.06

VERMOGEN : 3 kW
 SPANNING : 380V-3pH-50Hz

VOLUME NH₃ SECTIE : ca. : 900 dm³
 NH₃ VULLING NORMAL BEDRIJF : 145 Kg
 TRANSPORTGEWICHT : ca. : 7500 Kg
 BEDRIJFSGEWICHT : ca. : 8800 Kg
 GELUIDSNIVEAU : 59 dB(A) 3mtr.