


Bitzer 44H-30.2

Specifications

Marque	Bitzer
Le type	44H-30.2
Réfrigérant	Freon
Refrigerant type	R 404 A or other types
kW at -5°C/+40°C	99,6
kW at -10°C/+40°C	82,2
kW at -20°C/+40°C	54,2
kW at -30°C/+40°C	33,4
kW at -40°C/+40°C	18,5
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	105
Séparateur d'huile	✓
Système de niveau d'huile	✓
Liquid déshydrateur ligne	✓
Voyant	✓
Remarques	y.o.b. 2006 // Including Head Fans
Package / Rack	✓
Tailles	1800x1000x1200 mm (LxWxH)
Stock	1



Description

Used Bitzer 44H-30.2

Used Bitzer 44H-30.2 tandem compressor, complete with pressure safety switches, oil separator, oil level system, liquid line filter drier, sight glass and a liquid receiver with a volume of 105 liters.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.

